FLEX 04.05 daily								JL.
Oil Pattern Dis	43 Reverse	3 Reverse Brush Drop		Oil	Per Board	50 ul		
Forward Oil To		6.85 mL Reverse Oil Total		11.75 mL ICE	Volume Oil Total		27.6	
Tank Configu	ration	N/A Tank A Conditioner			Tan	k B Conditioner		FIRE
START STOP Li 1 3L 3R 2 5L 5R 3 7L 7R 4 10L 10R 5 11L 11R 6 11L 11R 7 12L 12R 9 14L 14R 10 2L 2R	OADS SPEED TANK CR 1 10 A 1 10 A 2 10 A 3 14 A 2 18 A 1 22 A 2 26 A 1 26 A 2 26 A 3 30 A	31 0.0 1.4 1 54 1.4 4.2 2 63 4.2 10.1 5 38 10.1 15.2 5 19 15.2 18.3 3 34 18.3 25.6 7 17 25.6 29.2 3 26 29.2 36.5 7	T.OIL .0 1750 .4 1550 .8 2700 .9 3150 .1 1900 .1 950 .3 1700 .6 850 .3 1300 .5 0			20 55 10		45 50 55
START STOP Lt 1 2L 2R 2 13L 13R 3 12L 12R 4 11L 11R 5 10L 10R 6 7L 7R 7 2L 2R 8 2L 2R	OADS SPEED TANK CR 0 30 A 2 22 A 2 18 A 2 14 A 2 10 A 2 10 A 1 10 A 0 10 A	DSSED START END FEE 0 43.0 28.0 -15 30 28.0 21.8 -6 34 21.8 16.7 -5 38 16.7 12.8 -3 42 12.8 10.0 -2 54 10.0 7.2 -2 37 7.2 5.8 -1 0 5.8 0.0 -5	0 0 2 1500 1 1700 9 1900 8 2100 8 2700 4 1850					20 25 30 35 40
Cleaner Ratio Back End Mix NA Reverse Cleaner Ratio Back End Distance NA Combined								5 10 15
Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18F	R 18L-18	R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R]
Description		Middle Track:Middle			nside Track		Middle:Outside Track	
Track Zone Ratio	7.65	2	1.02		1.02	2	7.65	

